

# Maximum flows and minimal cuts

Filip Malmberg



# MSF cuts I

- A Minimum Spanning Forest with respect to a set of seed-points divides a graph into a number of connected components. Thus, it defines a cut on the graph – a MSF cut.
- A cut given by a minimum spanning forest maximizes

$$\min_{e \in S} (w(e)) \quad (1)$$

among all cuts that separate the seed-points.

- In the above equation, the weight  $w(e)$  of an edge represents the *dissimilarity* between the vertices connected by the edge.
- Thus, we are maximizing dissimilarity across the cut.

## MSF cuts II

- A Maximum Spanning Forest with respect to a set of seed-points divides a graph into a number of connected components. Thus, it defines a cut on the graph – a MSF cut.
- A cut given by a maximum spanning forest minimizes

$$\max_{e \in S} (w(e)) \quad (2)$$

among all cuts that separate the seed-points.

- In the above equation, the weight  $w(e)$  of an edge represents the *similarity* between the vertices connected by the edge.
- Thus, we are minimizing similarity across the cut.

# MSF cuts

- With MSF cuts, we only consider the maximum weight among the edges in the cut.
- There is no penalty for “large” cuts – this can lead to very “jagged” boundaries in noisy images.
- It seems interesting to optimize for a function that considers *all* edges in the cut.
- In this lecture, we will look at a method that computes cuts where the *sum* of the edge weights is minimal.



# Minimal graph cuts

- Consider a graph  $G = (V, E)$ , where we have selected two vertices  $s, t \in V$ .
- A cut on  $G$  is an  $s - t$  cut if it separates  $s$  from  $t$ .
- We want to find an  $s - t$  cut  $C$  that minimizes

$$\sum_{e \in C} w(e). \quad (3)$$

# Minimal $s - t$ cuts




Figure 1:  $s - t$  graph cut

# P-norms

- The sum and the maximum are special cases of *p-norms*.
- Let  $p \geq 1$  be a real number. The *p-norm* of a vector  $\mathbf{x}$  is defined as

$$\|\mathbf{x}\|_p = \left( \sum_{i=1}^n |x_i|^p \right)^{1/p} \quad (4)$$

- For  $p = 1$ , this is the sum of the elements of the vector. For  $p \rightarrow \infty$ , it approaches the maximum of the elements.
- If we can solve for the sum, then we can solve for any (finite) *p-norm*. (We don't really need to care about the *p*:th root)

# Flow network, intuitive notion




Figure 2: Flow network



# Networks

## Definition, network

A *network* is a directed graph  $G = (V, E)$  where

- 1 Two vertices  $s, t \in V$  are defined as the *source* and *sink* of  $G$ , respectively. The source has only outgoing edges and the sink has only incoming edges.
- 2 a *capacity* function,  $c : E \rightarrow \mathbb{R}^+$  maps each edge to how much “traffic” it can carry.

# Flow

## Definition, flow

Given a network  $G = (V, E)$ , a  $(s-t)$  flow is a mapping  $f : E \rightarrow \mathbb{R}^+$ , such that:

- 1  $f(p, q) \leq c(p, q)$  for all  $e_{p,q} \in E$ . (Capacity constraint)
- 2  $\sum_{q \in \mathcal{N}(p)} f(p, q) = \sum_{q \in \mathcal{N}(p)} f(q, p)$  for all  $p \in V \setminus \{s, t\}$ . (Flow conservation)

# Maximum flow

- The value,  $|f|$ , of a flow is the total amount of flow being sent from the sink to the source, i.e.,

$$|f| = \sum_{p \in \mathcal{N}(s)} f(s, p) . \quad (5)$$

- The *maximum flow problem* is to maximize  $|f|$ , i.e., to route as much flow as possible from  $s$  to  $t$ .

# Ford-Fulkerson theorem

## Theorem

*The maximum value of a  $s - t$  flow on  $G$  is equal to the minimum capacity of an  $s - t$  cut.*

Moreover, a maximum flow on  $G$  will *saturate* a set of edges that gives us the minimum cut.

# Computing minimum cuts/maximal flows

- According to the Ford-Fulkerson theorem, we can compute minimum s-t cuts by computing maximum flow.
- We will now look at one algorithm for computing maximum flows: the Ford-Fulkerson algorithm [5].

# Ford-Fulkerson algorithm

## Definition, augmenting path

Let  $G = (V, E)$  be a network and let  $f$  be a flow on  $G$ . A path  $\pi$  in  $G$  is called an *augmenting path* if

- 1 The origin of  $\pi$  is  $s$  and the destination of  $\pi$  is  $t$ .
- 2  $f(p, q) < c(p, q)$  for all edges  $e_{p,q}$  along the path.



# Ford-Fulkerson algorithm

```
while There exists an augmenting path in G do  
  | Send flow along that path  
end
```

# Ford-Fulkerson algorithm, example




Figure 3: A network with zero flow.



# Ford-Fulkerson algorithm, example




Figure 4: Find an augmenting path.

# Ford-Fulkerson algorithm, example




Figure 5: Send flow along the path.

# Ford-Fulkerson algorithm, example




Figure 6: Find an augmenting path.

# Ford-Fulkerson algorithm, example




Figure 7: Send flow along the path.

# Ford-Fulkerson algorithm, example




Figure 8: Find an augmenting path.

# Ford-Fulkerson algorithm, example




Figure 9: Send flow along the path.

## Ford-Fulkerson algorithm, example




Figure 10: No more augmenting paths can be found. Label all vertices that can be reached via non-saturated edges as “belonging to the source”.

# Ford-Fulkerson algorithm, example




Figure 11: Label all remaining vertices as “belonging to the sink”.



# Ford-Fulkerson algorithm, example




Figure 12: The edges on the boundary of this labeling form a minimum s-t cut.

# Ford-Fulkerson algorithm, practicalities

- At each step of the Ford-Fulkerson algorithm, we select an augmenting path.
- The running time of the algorithm depends on the order in which we select the augmenting paths, and on the search strategy we use to find a path.

# Edmonds-Karp algorithm

- The Edmonds-Karp algorithm is a specialization of the Ford-Fulkerson algorithm. [3]
- At each step, the algorithm selects a *shortest* augmenting path (where the length of a path is the number of vertices in the path).
- The algorithm can be shown to run in  $O(|V||E|^2)$ .

# Boykov-Kolmogorov algorithm

- Another specialization of the Ford-Fulkerson algorithm, tuned for the types of graphs commonly occurring in image processing [1].
- The basic idea of the algorithm is to maintain two search trees, one from the source and one from the sink. These trees are updated during the execution of the algorithm, so we do not need to perform the search for an augmenting path from scratch.
- The theoretical running time is worse than for the Edmonds-Karp algorithm, but it has been shown to be faster in many practical scenarios.
- An implementation in C is available:  
<http://pub.ist.ac.at/~vnk/software.html>



# Minimal graph cuts and image labeling

Using minimal s-t cuts, we can compute a binary labeling  $L$  of a graph (image) that minimizes cost functions of the form

$$E(L) = R(L) + B(L) \quad (6)$$

where

$$R(L) = \sum_{v \in V} R_v(L_v) \quad (7)$$

is called the *regional term* (or *data term*) and

$$B(L) = \sum_{v,w \in \partial L} B_{v,w} \quad (8)$$

is called the *boundary term* (or *regularization term*).

# Minimal graph cuts and image labeling






Figure 13: Minimum graph cut segmentation of a 3x3 image. Image from [1].

# Interactive seeded segmentation

Hard constraints can be implemented with infinity cost terminal links.



(a) A slice with seeds



(b) 3D object

Figure 14: Segmentation of bones in a CT volume using minimal graph cuts.

# A gestalt example





Figure 15: Synthetic gestalt example from [1].




# Metrication errors

- We can think of the cost of a cut as the area of a surface separating the two regions.
- On a regular 2D or 3D grid, we will see *metrication errors* – signs of the discrete nature of the graph representation.


## Comparison, discrete distance transforms



(a) 4 n-system



(b) 8 n-system




(c) 128 n-system

Figure 16: Distances in discrete grids [2]. The weight of each edge is equal to its Euclidean length.

# Reducing metrication errors

- Just like in the distance transform example, we can reduce metrication errors by using a “larger” neighborhood system.
- In fact, it is possible to construct a graph such that the weight of the cut is arbitrarily close to the length (area) of the corresponding contours (surfaces) for any Riemannian metric [2].


# Reducing metrication errors



(a) Original data



(b) 4 n-system



(c) 8 n-system


image restoration experiments on 2D data



(d) Original data



(e) 6 n-system



(f) 26 n-system

object extraction experiments on 3D data



Centre for Image Analysis

Swedish University of Agricultural Sciences  
Uppsala University



UPPSALA  
UNIVERSITET



SLU

# Shrinking bias

- Since we are minimizing the sum of the edge weights in the cut, we implicitly favour “small” cuts. This may or may not be what we want.
- To avoid this issue, some authors [6, 4] have considered “normalized cuts” that minimize

$$\frac{\sum_{e \in C} w(e)}{|C|} . \quad (9)$$

# Other applications

- The ability to optimize cost functions of the form discussed here has applications to many image processing tasks other than segmentation.
- Examples:
  - Filtering (Labels are intensities).
  - Stereo matching (Labels are disparities or depths).

# Image restoration




Figure 18: “Restoration” of noisy image.



# Stereo disparity




Figure 19: Left: One image in a stereo pair. Right: Depth estimated with graph cuts.



# More than two terminals?

- The examples on the previous slide have more than two types of labels.
- So far, we have only considered minimal graph cuts on graphs with two terminals. Thus, we can only compute binary labelings.
- Unfortunately, computing globally minimal graph cuts for more than two terminals is NP-hard.
- In the next lecture, we will look at a strategy for computing approximate solutions to this problem.

# Comparison, min-cuts and MSF-cuts

## MSF-cuts

- Advantages
  - Globally optimal, according to the max-norm.
  - Fast computation.
  - Seed-relative robustness.
  - Handles any number of labels.
- Drawbacks
  - No “smoothness term”, sensitive to noise.

# Comparison, min-cuts and MSF-cuts

## Min-cuts

- Advantages
  - Globally optimal, according to the 1-norm.
  - Can be used to approximate continuous cut metrics.
  - Can be computed in polynomial time.
- Drawbacks
  - Restricted to binary labeling.
  - Slower to compute than MSFs.

# References

- [1] Y. Boykov and V. Kolmogorov.  
An experimental comparison of min-cut/max-flow algorithms for energy minimization in vision.  
*IEEE PAMI*, 26(9):1124–1137, 2004.
- [2] Yuri Boykov.  
Computing geodesics and minimal surfaces via graph cuts.  
In *International Conference on Computer Vision*, pages 26–33, 2003.
- [3] J. Edmonds and R. Karp.  
Theoretical improvements in algorithmic efficiency for network flow problems.  
*Journal of the ACM*, 19(2), 1972.
- [4] A.P. Eriksson, C. Olsson, and F. Kahl.  
Normalized cuts revisited: A reformulation for segmentation with linear grouping constraints.  
*Journal of Mathematical Imaging and Vision*, 39(1):45–61, 2011.
- [5] L. Ford and D. Fulkerson.  
Flows in networks.  
*Princeton University Press*, 1962.
- [6] Jianbo Shi and J. Malik.  
Normalized cuts and image segmentation.  
*Pattern Analysis and Machine Intelligence, IEEE Transactions on*, 22(8):888–905, 2000.